

# This versatile projector is ideal for delivering high-quality presentations in classrooms and small meeting rooms

The EB-530 delivers superior-quality images and a host of additional features as standard to give users more for their money. Ideal for classrooms or small meeting rooms, this projector can be wall or ceiling mounted or placed on a table close to the wall to free-up more workspace.

## High-quality image

Complete with our 3LCD technology, the EB-530 displays superior-quality, bright images with more accurate colours. The image can be seen even in brightly-lit rooms thanks to an equally high white and colour light output. Image detail is clear thanks to a high contrast ratio and our new short throw lens means sharper images and improved focus.

#### More value for your money

The lamp in the EB-530 now lasts up to 10,000 hours in eco mode. The projector even conserves power during presentations by automatically adjusting the light output depending on the content. The A/V mute function pauses the presentation and dims the lamp by 70% to conserve energy while the projector is not in use. The projectors' built-in 16w speaker means audio content can be played directly through the projector, without the need for additional external speakers. The microphone input transforms the projector into a PA system, meaning presenters can be easily heard in a classroom environment.

#### Easy to set up and use

The EB-530 has both horizontal and vertical keystone correction to achieve a perfectly shaped image and help avoid distortion. When setting up several projectors, the OSD settings can be copied from one projector to many others meaning you don't need to set up projectors individually. Multi-PC projection software allows content from four devices, including PC's, tablets, smart phones, to be displayed simulatenously.

## **KEY FEATURES**

- Exceptional image quality Epson's 3LCD technology displays brighter images and more accurate colours
- Equally high white and colour light output

Projected image can be seen clearly even in brightly-lit rooms

- Clearer detail Increased contrast ratio of 16,000:1
- Longer lamp life means low TCO 10,000 hours in eco mode / 5,000 hours in normal mode
- Flexible installation options Horizontal and vertical keystone correction for off-centre and uneven placement





## PRODUCT SPECIFICATIONS

TECHNOLOGY	
Projection System	3LCD Technology
LCD Panel	0,55 inch with MLA (D8)
IMAGE	
Colour Light Output	3.200 lumen- 1.800 lumen (economy)
White Light Output	3.200 lumen - 1.800 lumen (economy) In accordance with ISO 21118:2012
Resolution	XGA, 1024 x 768, 4:3
Contrast Ratio	16.000 : 1
Lamp	215 W, 5.000 h durability, 10.000 h durability (economy mode)
Keystone Correction	Manual vertical: $\pm 15^{\circ}$ , Manual horizontal $\pm 15^{\circ}$
Colour Reproduction	Upto 1.07 billion colours
Aspect Ratio	4:3
OPTICAL	
Projection Ratio	0.55:1
Zoom	Digital, Factor: 1 - 1,35
Image Size	50 inches - 108 inches 0,5 m ( 50 inch screen)
Projection Distance Wide	
Projection Distance Tele	1,3 m (108 inch screen)
Projection Lens F Number	1,6
Focal Distance	6,4 mm
Focus	Manual
Offset	9,51 : 1
CONNECTIVITY	
USB Display Function	3 in 1: Image / Mouse / Sound
Interfaces	USB 2.0 Type A, USB 2.0 Type B, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T),
	Wireless LAN IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in, Composite in,
	Component in (2x), S-Video in, Stereo mini jack audio out, Stereo mini jack audio in (2x),
	Microphone input, Cinch audio in
Epson iProjection App	Ad-Hoc / Infrastructure
ADVANCED FEATURES	
Security	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password
	protection
Features	Built-in speaker, Customizable user logo, Digital zoom, Dynamic lamp control, Horizontal and
Features	
	Built-in speaker, Customizable user logo, Digital zoom, Dynamic lamp control, Horizontal and vertical keystone correction, Long lamp life, Microphone input, Wireless LAN capable No
Interactivity	vertical keystone correction, Long lamp life, Microphone input, Wireless LAN capable
Interactivity Video Colour Modes	vertical keystone correction, Long lamp life, Microphone input, Wireless LAN capable No
Interactivity Video Colour Modes GENERAL	vertical keystone correction, Long lamp life, Microphone input, Wireless LAN capable No Blackboard, Dynamic, Presentation, sRGB, Theatre
Interactivity Video Colour Modes GENERAL Energy Use	vertical keystone correction, Long lamp life, Microphone input, Wireless LAN capable No Blackboard, Dynamic, Presentation, sRGB, Theatre 298 W, 221 W (economy), 0,28 W (standby)
Interactivity Video Colour Modes GENERAL Energy Use Product dimensions	vertical keystone correction, Long lamp life, Microphone input, Wireless LAN capable No Blackboard, Dynamic, Presentation, sRGB, Theatre 298 W, 221 W (economy), 0,28 W (standby) 344 x 315 x 94 mm (Width x Depth x Height)
Interactivity Video Colour Modes GENERAL Energy Use Product dimensions Product weight	vertical keystone correction, Long lamp life, Microphone input, Wireless LAN capable No Blackboard, Dynamic, Presentation, sRGB, Theatre 298 W, 221 W (economy), 0,28 W (standby) 344 x 315 x 94 mm (Width x Depth x Height) 3,7 kg
Features Interactivity Video Colour Modes GENERAL Energy Use Product dimensions Product weight Noise Level Included Software	vertical keystone correction, Long lamp life, Microphone input, Wireless LAN capable No Blackboard, Dynamic, Presentation, sRGB, Theatre 298 W, 221 W (economy), 0,28 W (standby) 344 x 315 x 94 mm (Width x Depth x Height) 3,7 kg Normal: 37 dB (A) - Economy: 29 dB (A)
Interactivity Video Colour Modes GENERAL Energy Use Product dimensions Product weight	vertical keystone correction, Long lamp life, Microphone input, Wireless LAN capable No Blackboard, Dynamic, Presentation, sRGB, Theatre 298 W, 221 W (economy), 0,28 W (standby) 344 x 315 x 94 mm (Width x Depth x Height) 3,7 kg
Interactivity Video Colour Modes GENERAL Energy Use Product dimensions Product weight Noise Level	vertical keystone correction, Long lamp life, Microphone input, Wireless LAN capable No Blackboard, Dynamic, Presentation, sRGB, Theatre 298 W, 221 W (economy), 0,28 W (standby) 344 x 315 x 94 mm (Width x Depth x Height) 3,7 kg Normal: 37 dB (A) - Economy: 29 dB (A) Epson Projector Management Software, EasyMP Multi PC Projection, EasyMP Network
Interactivity Video Colour Modes GENERAL Energy Use Product dimensions Product weight Noise Level Included Software	vertical keystone correction, Long lamp life, Microphone input, Wireless LAN capable No Blackboard, Dynamic, Presentation, sRGB, Theatre 298 W, 221 W (economy), 0,28 W (standby) 344 x 315 x 94 mm (Width x Depth x Height) 3,7 kg Normal: 37 dB (A) - Economy: 29 dB (A) Epson Projector Management Software, EasyMP Multi PC Projection, EasyMP Network Projection

EB-530

## WHAT'S IN THE BOX

- VGA cable
- Main unit
- Power cable
- Remote control incl. batteries
- Setup guide
- Software (CD)
- User manual (CD)



#### **OPTIONAL ACCESSORIES**

- Air Filter ELPAF47
  V13H134A47
- Wall Mount ELPMB45
  V12H706040
- Wireless LAN Adapter ELPAP10 V12H731P01
- Ceiling Mount (White) ELPMB23 V12H003B23
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Quick Wireless Connect USB key ELPAP09 V12H005M09
- Control and Connection Box ELPCB02 V12H614040
- Soft Carry Case ELPKS66 EB-52x/53x series V12H001K66

#### LOGISTICS INFORMATION

ѕки	V11H673040
EAN code	8715946541488
Multiple Order Quantity	1 Units
Country of Origin	China
Pallet Size Euro	40 Units



EB-530

